Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 1 of 35

## Template






Fig. 1. Schematic diagram of Arbitrarily primed Polymerase Chain Reaction


Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller


Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 2 of 35



Genome included in cloning hnaR







Genome included in cloning yojN

Fig. 2. Genes or operons for complementation studies. Open reading frames or coding regions (→); predicted promoters (→); cloned regions ( →)

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF

Attorney Name: Douglas P. Mueller

Phone No.: (612) 371-5237

Sheet 3 of 35

M13 Reverse Primer Hind III Kan I Sac I BarnHI Spe I
CAG GAA ACA GCT ATG AC C ATG ATT ACG CCA AGC TTG GTA CCG AGC TCG GAT CCA CTA
GTC CTT TGT CGA TAC TG GTAC TAA TGC GGT TCG AAC CAT GGC CTA GGT GAT

SSIX I ECOR I

GTA ACG GCC GCC AGT GTG CTG GAA TTC GGC TT PCR Product

AA GCC GAA TTC TGC
CAT TGC CGG CGG TCA CAC GAC CTT AAG CCG AA

Ava I

PagR7 I

ECOR V BS:X I NO.1 Xho I NS.1 Xba I Apa I

AGA TAT CCA TCA CAC TGG CGG CCC GAG CAT GCA TCT AGA GGG CCC AAT TCG CCC TAT

TCT ATA GGT AGT GTG ACC GCC GGC GAG CTC GTA CGT AGA TCT CCC GGG TTA AGC GGG ATA

T7 Promoter

AGT GAG TOG TAT TA C AAT TCA CTG GCC GTC GTT TTA C AA CGT CGT GAC TGG GAA AAC

TCA CTC AGC ATA AT GTTA AGT GAC COG CAG CAA AAT GTT GCA GCA CTG ACC CTT TTG




Fig. 3. Vector pCR2.1 with insertion cloning site and resistance gene for Ampicillin (Invitrogen, Carlsbad, CA)

Inventor: Romeo, et al

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION Docket No.: 14233.0004USU1

AND USES THEREOF

Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237

Sheet 4 of 35




Fig. 4. Cell Growth (total turbidity at A630 before staining) and biofilm formation A630 after crystal violet staining) absorbance readings for parent strains and representative mutant strains.

- A) TRMG parent strain and biofilm-down mutants 41G10, 96B10, 150E3, 155F4 TRMG F/M parent strain and biofilm-up mutants 13G10, 77A5, 103E8, 126A3, and 139G5 (Upper Figure)
- B) TRMG F/M parent strain and biofilm-up mutants 13G10, 77A5, 103E8, 126A3, and 139G5 (Lower Figure)

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 5 of 35

Fig. 5

## Sequences of Up Mutants

1B10 (10X)

fliD gene - flagella biosynthesis; filament capping protein, enables filament assembly

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74991

GGTCAGGTCTGGATTTAAGTTCCATCCTTGATAGCCTCACCGCCGCGCAAAAAGCGA CGCTAACCCCCATTTCAAATCAGCAATCGTCGTTTACCGCTAAACTTAGCGCCTACG GTACGCTGAAAAGCGCGCTGACGACTTTCCAGACCGCCAATACTGCATTGTCTAAAG CCGATCTTTTTTCCGCCACCAGCACCACCAGCACCACCACCGCGTTC

## 12E12-6 (7x)

rfaG gene - enzyme, macromolecule metabolism; glucosyltransferase I, LPS core biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>S75736</u> Protein Accession # AAD43826

AAAAACGGTTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTTAAGTCCCATACCAACCATGGACGCAATGCAGAATATTATGCCTGGGTACAAAATCATCTCAAAG
AGCATCCCGCAGATCGCGTTGTTGGGTTTAATAAGATGCCTGGCCTGGATGTTTATTTTGCCGCTGATG
TTTGTTACGCCGAGAAAGTTGCGCAAGAAAAAGGTTTTTTTATATCGTTTAACATCACGATATCCNCNN
NNNNNGTACTAGTCGACGCGGGGCCAANNN

#### 13G10-4 (11X)

fliM gene - Structural component; surface structures/flagellar biosysnthesis, component of motor switch/energizing

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

#### 14C10-4 (10X)

flgE gene - structural component; surface structures/ flagellar biosynthesis, hook protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000208 Protein Accession # AAC74160

## AACGGNCCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
AGATCANCCTGAATTCCAGTGATCCGCTTCCTACTGTTACGCCATTCANNGCCNGCAATGCGGNTANCTNTNAC
AAANAAGGTTNNGTGACTGTTTTCCACAGTCATGGTAATGCTCATGACATGAGCGTCTACTTTGTGNACCCGGG
GATAATAACTGGCAGGTCTACACCCAGGATAGCAGTGATCCAAACAGCATTGCGAAGACAGCG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 6 of 35

## 36E2-5 (3X)

yhjH gene (complement) - orf; unknown function; hypothetical protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 004431 Protein Accession # NP 417982

AAACGGTTACCGGATCCGG

#### 38G7-2 (11X)

fliM gene - Structural component; surface structures/flagellar biosysnthesis, component of motor switch/energizing

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

**AAACGGTTACCGGATCCGG** 

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
CTTCAAGCGCCAGTTTCAACATGCGGTTGATGACGCGCTGTTCGGTATGGGTAAACTCGCGACCTTCCA
CTTTGGTCGGGAAGCGTCCATCGCCGCCAAACAGGTTATCCACGGCGATAAACACCAGACTCGGTGAG
AACACCACCAGCCCAGTGCCGCGCAGCGGTTTCAGATGGATAAGGTTCAGGTTGGTCGGCACCGGCAG
GTTGCGGGCAAATTCATGGTACGGCTGAATGCGGATGGCCCCGACGGTTATATCCNGNCNNNNNGTAC
TAGTCGACG

## 39C9-2 (3X)

rep gene - enzyme; DNA replication, repair restriction/modification; product - rep helicase, a single-stranded DNA dependent ATPase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000454</u> Protein Accession # AAC76783

AAACGGTTACCGGATCCGGGATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG

#### 42G6-4 (12X)

fliP gene - putative structure; surface structures/ flagallar biosynthesis

Transposon Tn10 Accession # AY528506
Nucleotide Accession # AE000287
Protein Accession # AAC75015

CGGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller

Phone No.: (612) 371-5237

TGGTACGCATCTACATAAATTTTGTCGATCACCGGTGACATAATAAAAAAGGTCAAAAACAGTGCCAGCCCCAGCAATACCTGGTTAGGTGGCGCGCGGAGGGTGTTCCCAGCGCGTTACGCAATAAACCAAAAACAATGATGATGCGGGTGAAACTGGTCATCATCAGTAAAATTGCCGGAATAAACGTCAACGAGGTGATGAACACCAGCGTCTGCACCGGGAGC

## 43B10-3 (11X)

fliG gene - Structural component; surface structure, flagella motor component

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000286 Protein Accession # AAC75006

NNCNNAACANACGGNNCCGGCCNG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
CGGCGAGCTGGCGCAGAAAATCATCGACGAGATGTTCCTGTTCGAGAATCTGGTGGATNTCGCCAATCGCNGT
ACTAGTCGACGNGTGGCCAAANTGGATTCCNAATCGCTGNTGATCGCGCTGAAAGGAGCCGAGCNGTCACTGT
GCNAGAANTTCTTGCNCNATATGTCGCNNCGTGCCGCCNATATCCCNCNCCNACCGTACCCCTNGNACGNNNN
ACCNGNACCCCNNTNCGGNCAAGNATGNNANNANCCNGATANANCAGNNCANTNCTNNGATNCACNNNATAN
NANNGNCGCCNAC

## 43F5-2 (2.5X)

wecB gene - enzyme; Central intermediary metabolism; sugar-nucleotide synthesis, product - UDP -N-acetyl glucosamine-2-epimerase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000455</u> Protein Accession # AAC76791

#### AAACGGTTACCGGATCCGG

### 45C8-4 (4X)

frdA gene – enzyme; energy metabolism, carbon: anaerobic respiration; product is fumarate reductase, anaerobic flavoprotein subunit

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000487</u> Protein Accession # AAC77114

#### CGGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
TGCCGCGCACGGCAAATCCGAATGCAAAAATCGCACTAATCTCAAAAGTATACCCGATGCGTAGCCATACCGT
TGCTGCAGAAGGGGGCTCCGCCGCTGTCGCGCAGGATCATGACAGCTTCGAATATCCCCNNNCCCCCGTACTA
GTCGACGCCGTGAANANNNN

## 49G9-3 (12X)

fliP gene - putative structure; surface structures, flagellar biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000287</u> Protein Accession # AAC75015

**AACGTACCGGATCCGG** 

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller

Phone No.: (612) 371-5237 Sheet 8 of 35

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG GGCGCAGCCGCTGCGTGAGTTTATGCTGCGTCAGACCCGTGAGGCAGATTTAGGGTTGTTTGCCAGAC TGGCGAATATCGGCCCGTTGCGTNCTACTCNACNCGTGCCNATGCGCATTTTGCTNCCNGCCTACGTGA CCAGCGAGTTGAAAACCGCATTTCAGATACGGCTTCACAGATTTTCATCCCTTTTTTTGATTATCGACCT GGTGATAGCCAGCGTGTTGATGGC

## 51B12-3 (6X)

fliM gene - flagella gene, flagella biosynthesis; motor switch

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000286 Protein Accession # AAC75012

#### ATGAAAACGNNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG TACTCAACTTCCAGCGGATTAATCGCCTTCCAGGCGTCGCTATAGCCTTCAAGCGCCAGTTTCAACATG CGGTTGATGACGCGCTGTTCGGTATGGGTAAACTCGCGACCTTCCACTTTGGTCGGGAAGCGTCCATC GCCGCCAAACAGGTTATCCACGGCGATAAACACCAGACTCGGTGAGAA

#### 57E7-6 (7X)

fliP gene - flagella gene, putative surface structure, flagella biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000287 Protein Accession # AAC75015

#### CGTACCGGATCCGG

 ${\tt GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG}$ GGCGCAGCCCGCTGCGTGAGTTTATGCTGCGTCAGACCCGTGAGGCAGATTTAGGGTTGTTTGCCAGA CTGGCGAATACCGGCCCGTTGCAGGGACCTGAAGCCGTGCCGATGCGCATTTTGCTCCCGGCCTACGT GACCAGCGAGTTGAAAACCGCATTTCAGATAGGCTTCACGATTTTCATCCCTTTTTTTGATTATCGACCT GGTGATAGCCAGCGTGTTGATGGCATTGGGGATGATGATGGTT

## 61G2-3 (10X)

255 bp down stream of flhB gene

Transposon Tn10 Accession # AY528506 Nucleotide Accession # U88319 Protein Accession # AAC17834

#### NGNNNATACGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG TATTAAGCGTGAATGATGCCAGAGCGCAAAGCGTTCAATGGTTTGAGTAAGGGGCAAAACAGGCGGG ATTTAGGGCTTTTGCTGCCACATATCCNNNNNNNNGTACTAGTCGACGCGTGGCCA

rfaQ gene (complement) - enzyme, macromolecule metabolism, LPS; LPS core biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 002695 Protein Accession # NP\_312534

#### AAACGGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG TATGTGTACCGTGTATTGGCGCTAAGNGTGNGAAGCTTTTTTTCCAANTACCATGCTTGCCNNATGACC ATAANGTTGCGATATNTTCATTCCGTGCATGCAAACANCGTACCNNCAGCGCCACCATNCAACTGATG CGTCNGANTAATGACCAGGTTNTANTTATTCTNTCGCCCGAGCCTCATCANCNAANGCTCNCTTTNTNN Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 9 of 35

NCGGNANNNNATTTTNCCCNGTCTNNNTNTTGNTTNANTNNNTTACGCGGCNACNNATTNGTTNTGG TCNTACGNGCNNNATAACNGCNNCTCNCNNNCC

64F2-1 (9X)

factor Sigma32 - promoter dnaKp2; documented +1 site at 12121

Transposon Tn10 Accession # AY528506 Nucleotide Accession # D10765 Protein Accession # BAA01595

CGNCGGATCCGG

66F4-3 (10X)

fliM gene - flagella biosynthesis, motor switch

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

TACCGGATCCGG

GATATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
CTTCAAGCGCCAGTTTCAACATGCGGTTGATGACGCGCTGTTCGGTATGGGTAAACTCGCGACCTTCCA
CTTTGGTCGGGAAGCGTCCATCGCCGCCAAACAGGTTATCCACGGCGATAAACACCAGACTCGGTGAG
AACACCACCAGCCCAGTGCCGCGCAGCGGTTTCAGATGGATAAGGTTCAGGTTGGTCGGCACCGGCAG
GTTGCGGGCAAATT

67C8-4 (6X)

fliM gene - flagella biosynthesis, motor switch

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

NNCGTNCGG

67C9-6 (8X)

fliM gene - flagella biosynthesis, motor switch

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

ANCCGATCCGG

GATATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 10 of 35

## CGCTTGAAGGCTATAGCGACGCCTGGAAGGCGATTAATCCGCTGGAAGTTGAGTAC GTGCGTTCGGAAATGCAGGTGAAATTTACCAATATCACCACCTCGCCGAACGACATT GTGGTTAACACGCCGTTCCATGTGGAGATTGGCAACCTGACCGGCGAATTTAATATC

## 67E10-5 (6.5X)

flil gene -Enzyme, flagella synthesis; surface structures, flagellum specific ATP synthase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75008

CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCCCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
CACCCTGCATTCGCAGGAGCGGAGAAACATCCGCCGGAGCGGCAATCACCACTGAGCGTGCACGCCCTTCGGC
ACCGAGGATGTTCTCAATAAAATCTTTTACTTCGCGCCCACGTTCACCAATCAAACCCACGACAATGATATCCN
NNNNNNNNNTACTAGTCGACGCGTGGCCAAT

70G12-5 (5X)

flil gene - flagella synthesis, enzyme: surface structures; flagellum specific ATP synthase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000286 Protein Accession # AAC75008

CGCTCCAGCCCTGGAGAGACGCTTNCCAGTCCGCGCGTTCAAAAATGCCTTGTTGCAAATAGCCCTCCAGCTGCGCCACAGGGCGATGGCTTTATCGAGCATCGGATCGCTGCCTTTTGGCATACGCGCCGACGCTAACCAGATCGCGGTTACGCTGAAAACTCGACAACAGCTGTTTGAAGGTGCGCACTCGCGCGTAATGTTGCTCACTGATCAACGCCGTCATTGCGCGGGCTGATCGACGCCGTCATTGCCCGCGTGATCGACGCCGCGTCATTGCTCACTGATCAACGCCGTCATTGCGCGGCGTGATCGACGCCTTCAATATCCNNNNNCNNNGTACTAGTCGACGCGTGGCCA

71A4-3 (10X)

Downstream of rfaQ gene

Transposon Tn10 Accession # AY528506 Nucleotide Accession # M80599 Protein Accession # NP\_418089

AGCNCGCCGGACNTCCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTCGCTAGTGGAAAAAGCCATTTCGAAAAAATCCTGGTCATAAAGATGCGATATCCCCCCACCGCGTAC
TAGTCGACGCGTGGCCANANANNNNNNNNCGGCANNNCCNCCCNT

74B5-2 (2.5X)

rfaG gene (complement)- enzyme, macromolecule metabolism, LPS; glucosyltransferase I, LPS core biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>S75736</u> Protein Accession # AAD43826

ATACCCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CGCATTGCATCAACAGTTGCCGCACGGGGCCACCATGTTCGGGTATATACACAGTCGTGGGAAGGCGA
TTGCCCGAAAGCATTTGAGCTTATTCANGNGCCAGTTAAGTCCCNTACCAACCATGGACGCAATGCAG
AATATTATGCCTGGGTACAAAATCATNTNAAACAGCNTCCCNCAGGATCTGTGTCGNNGNGTTCAATT
ATTATNCCCTCGNCNGGATTATCTTATTTGCCTGCTNAATGTCNGTCTTCTNATTCCTÄAATNT

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237

Sheet 11 of 35

## 76F11-2 (5.5X)

fliM gene - flagella gene, flagella motor switch biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

NGAAAACGGNCCGGATCCGG

## 77A5-2 (11X)

b1936 gene - orf; unknown function; hypothetical protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 000913 (genome) Protein Accession # E64957

#### CNCGATCCGC

#### 78E3-2 (7X)

fliA (complement) - flagella biosynthesis, alternative sigma factor

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74989

## NAAAACGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGGTTAATACCAGTTTTTCGCGCTCCGGCAACGTTTCGATGGCTTCCATCACCCGCTGGCGCAGATTAC
TGTCCAGTAGTTGTTGTAGCGGGTTTTCTCGCTGATGATCATCAGTAACCAGTTCGATGCTATCGCCGT
GCTCTTCGCGCCACTCATCGTAGGAGAAGAGCTGGCTGTTATTGGTGTCGAGCAACATTTGGCGATAA
TCGGCAATATCNNCCCCCCCGTACTAGTCGACGCGTGGCCAA

#### <u>78F6-3</u> (2X)

tolA gene - membrane; colicin-related functions; membrane spanning protein required for outer membrane integrity

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000177</u> Protein Accession # AAC73833

#### ATACNCGACCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTTTAGCTGCCAACGCAGCCTGACAAAGTGCGGGATCGCCACCTTCAGGTTTGATATCCAGTAA
CATACCATCGGGTGCCAGTTTTATGCGCAGCGTACAGGTTTTGCCTGCATAGGACGATGCGTCATAGA
ACTTACTTTCGATAGCAGATTTAATCTGCCCGGCATAGTTATTGATATCCNCCCCCCNNGTACTAGTCG
ACGCGTGGCCANNTATTCNGATATCNCNCCNGCCNGTCTANTCCCNCGTGGNCATATCTGATNC

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 12 of 35

## 85G11-1 (6.5X)

Between 2 promoters (complement) - 1) factor sigma 70; predicted +1 site at 201135 and 2) factor sigma 70; predicted +1 site 2011238

Transposon Tn10 Accession # AY528506 Nucleotide Accession # D89826 Protein Accession # AAC75005

#### 89A8-3 (6.5X)

fliG gene - flagella structural; flagellar motor component

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75006

#### CGNTACCGGACCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TGCTCGGCTCCTTTCAGCGCGATCAACAGCGATTCGGAATCCACTTCCTGCAACAGACGCTGAATGCT
GCGATCGTCGACATCCACCAGATTCTCGAACAGGAACATCTCGTCGATGATTTTCTGCGCCAGCTCGCC
GTCGAATTCACGCACGGCGGTAATAACGGCTTCTTCCTGCTGAGTTTTTC

#### 92G7-3 (3.5X)

rnhB gene - enzyme; degradation of RNA; product is RNAse HII, degrades RNA of DNA-RNA hybrids

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000127 Protein Accession # AAC73294

#### GGAAAAACGTCCGGATCCGG

#### 92G9-1 (3.5X)

rnhB gene - same clone as above

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000127</u> Protein Accession # AAC73294

Inventor: Romeo, et al
Docket No.: 14233.0004USUI
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237

Sheet 13 of 35

## 94G6-3 (4X)

Downstream of rfaQ gene

Transposon Tn10 Accession # AY528506 Nucleotide Accession # M80599 Protein Accession # NP 418089

## 98E7-4 (6X)

fliR gene - putative enzyme, surface structures; flagellar biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000287</u> Protein Accession # AAC75017

#### CGACCGGATCCGG

#### 98E11-3 (5X)

flgH gene - structural component, surface structure; flagellar biosynthesis, basal body outer-membrane L (LPS layer) ring protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000208 Protein Accession # AAC74163

AACNAAACGGNTNCGGCATCGG
GATCATATGACATAATGATTTTTTACCAAAATCATTAGGGGATTCATCAGC
GCTGCGCATACTTATGCCATATCCNNCNNGNNGGTACTAGTCGACGCGTGGCCANATTNNNNNATCNN
CNNNNNGGGGCNNN

#### 98G12-4 (5X)

mdoG gene - enzyme, osmotic adaptation; periplasmic glucans biosynthesis protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000206</u> Protein Accession # AAC74132

#### AAACGACCGGACCGG ·

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 14 of 35

### 103C8-4 (9X)

fliP - flagella biosynthesis, surface structure

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000287</u> Protein Accession # AAC75015

GANNAAACGACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGCTGCGCCCCTTTTTCCAGCGCCTCCTGCATTGATATTTTCTCTTCGCTGAATGGCTGGTACGCATCTA
CATAAATTTTGTCGATCACCGGTGACATAATAAAAAAAGGTCAAAAACAGTGCCAGCCCCAGCAATACC
TGGTTAGGTGGCGCGGAGGGTGTTCCCAGCGCGTTACGCAATAAACCAAAAACAATGATGATGCGGG
TGAAACTGGTCATCATCAGTAAAATTGCCGGAATAAACGTCAACGAGGTGATGAACACCAGCGTCTGC
ACCGGGAGCGACCAGCTTTGTCCACCGCCAGGCAGCG

## 103E8-4 (7X)

yojN - putative regulator, not classified; product is putative 2 component sensor protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000310</u> Protein Accession # AAC75276

NATACGNCCGGATCCGG

## 104G4-5 (2.5X)

Between mreB and yhdA genes (complement). mreB: phenotype, cell division; regulator of ftsI, penicillin binding protein 3, septation function. yhda: orf, function unknown, hypothetical protein, 1232 bp upstream of mreB

Transposon Tn10 Accession # AY528506 Nucleotide accession # M22055 Protein Accession # AAA83892

#### ANNNNCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCANAATCATTAGGGGATTNATCAG
CTNAATGCATGCNCNACCATTGCCTCNGCTGTTTGCAACCGNGTAAGGNGCATTCATNTGCATATGTT
GCTGCNANCAATCTGGCTGAGNAGACAAGCNCACTCCCATGANACGCATCGCGCATTATTNTACGTGA
AANCGGATNNAANGGNTGGNTAAACCNANGANCCNNCGCCGANTATNNTTCCNCTGNCANNCTNANN
TNGNCTNGNACNGANNNCNANNCNACNCCTCTTTTNTNNNNTTCCGNTNNNGNNGNNNNNNNTNGTNN
TCCNNCCTGTNTNCANNTNNCNNNGNTCNTNCNCCCNTCTNTCCANTGCCANTTGTNNCNAGGTNCGA
TNTCTGCNGACCNACNNNNTAGNANCCNN

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller

Phone No.: (612) 371-5237

Sheet 15 of 35

## 107B12-2 (2.5X)

Upstream of promoter - factor sigma 70; predicted +1 site at 3806141

Transposon Tn10 Accession # AY528506 Nucleotide Accession # M80599 Protein Accession # AAC17834

### 110E8-3 (6X)

fliP gene - Putative surface structure, flagellar biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000287 Protein Accession # AAC75015

AACGCTNCCGATCCG

GATNATATNAACAGATNTGTATNCACCTTATCTTAATGANATTTTACCANAATCATATTGGGGATATCATAT
ANGGGCTGCCCCCTTTTTCCAGCCCCTACTGCATTGATATTTTNTCTTCGNTGNATGG
CTGGTACGCATCTACATAANTNTTGACGATCACCGGTGACNTAATAAAANAGGNCN
NANNCANTGCCANTCCCAGCAATNCNTGGTTNNGTGGNGCGGACGGTGCTNCCATN
GCNNGACNCACNNAACCNANNNCNATGANGNTNCCNCNGANANTGGANATCATCC
TGCAANNCNACNGNATNCNNA

#### 110F12-2 (9X)

Between flhD and insB 5 genes (complement)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>U88319</u> Protein Accession # AAC17834, AAC74963

#### CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGGATTCATCAG
CGATNANCTGCAATAAGCAGAACCNCCTTTTTGGNTTAATATGTCCTTACAAATAGAAATGGGTCTTTACACTT
ATCTAAGATTTTTCCTATATCNNCNCNCCNNGTACTAGTCGACGCGTGGCCATTTATNNNNNATNTCCTNNTNG
TCTCNNGNNCNNCNCGCGGCCNCANCNNNATATNNNTNNNNCNCTNCACTCTN

#### 111G8-1 (4X)

flgK gene - structural component, flagella biosynthesis; hook-filament junction protein 1

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000209</u> Protein Accession # AAC74166

## AACCCGATCCGG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 16 of 35

## 115A3-5 (2.5X)

fliD gene - flagella biosynthesis, surface structure; filament capping protein, enables filament assembly

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74991

#### **ATACCNGATCCGG**

NTCATATGACAAGATGTGTATCCCCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GCTTACGCCTGCTTTTTGCGTTGTTGATGGCATCACGGATCCCGCTTAACGATGAGTTAGCCGCGCTGAT
ATCAATGGTNATCGTACTANTCGACGCGTGGCCATGAATGGTGAGTTTACTGTCGCTGGTGGCGATCG
CCGTTTTCATATCGNCNNTTNCNGTACTAGTCGACGCGTGGCCAAATTNNTNTNANAAAAATTCN

#### 115B7-6 (7X)

flgB gene - flagella biosynthesis, cell-proximal portion of basal-body rod

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000208</u> Protein Accession # AAC74157

## AACGGTTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CGCGCGATATCGATTTTGCCAGTGAACTTAAAAAAAGTCATGCAACGTGGACGGATGCAACCAGTGTG
GTTGCACTGACGATGACCTCAACGCAACACATTCCGGCGCAGGCGCTGACGCCTCCTACCGCAGAACT
GCAATACCGTATTCCGGACCAGCCTTCGCTTGACGGTAATACCGTCGATATGGATCGCGAACGCACCC
AGTTTGCCGATAACAGCCTGCAATACCAGATGAGCCTTAGCG

## 122F6-1 (4X)

fliL gene - flagella gene; putative surface structure

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75011

#### CGNTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CACGACGCGTTGCTGCGCTTTGTCGTCAGCGGCAACCTGATGCGAATGCCAGTAGCTGTAACCTGCGC
TGGCACAGGCCGCGAGGGTAATGAATACCAGAATCGGGATCCAAAGCGATCGCTTTTCTTGCTT
ATCGCGTAATCAGTCATGTTGCGGTCTTCCTGTGTCGCTACTGCTTATC

## 123B8-4 (3.5X)

rfaQ gene (complement) - Macromolecule metabolism, LPS; LPS core biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC\_002695 Protein Accession # NP\_312534

## AAACGACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CGCTAAGTGTGTGAAGCTTTTTTTCCAAATACCATGCTGCCGATGACCATAAAGTTGCGATATTTTCAT
CCGTGCAGGTAAACAACGTACCAGCAGCGCCACCATCCACTGATCCGTAAGATTAATGACCAGGTCAT
AATTATTCGCACGCAGAGNTTTTATCAACNAAAGCACATTTTTAATTTNATCGAAAGTTCCCNCNCCTT
TATTGCTTANCCCATAGAGCGCANTNNTTTCCGGGTTTNCANACAAAATNTGGATGGTGNCCTGNCNA
AGCNNCANGTCTANNTNNGCTNTATGAGAATCTG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 17 of 35

123E4-3 (6.5X)

fliR gene - putative enzyme; flagella biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000287</u> Protein Accession # AAC75017

AAACGACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTTTTACCCGTTCGGTACGCTGCGTTCGCTCAGAATCGGCGGGGGGGAGATCATCGCCAGCTCNCGC
ANTNACGGNCAGAANTACAGGTTTAACCAGGATAGCCATTGTTNGCTTGCCACCTGCANCATAGTACG
GTTACCCNATGATTTACTNGNAGGTTAGTGAACAANGTGCGGNCAGTNATTCANCAACACATTNNGCA
TGNTCTGTCTNGGCANNTATTTTGGTGATNAANANGGCCGATNNTTTTNCGANTNNCCGNNNTGGGNT
NCTTNTTCATCNAGTNNCNNATGGGCGNGTATN

125C9-2 (7X)

fliP gene - Putative surface structure, flagella biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000287 Protein Accession # AAC75015

TACGNCCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGCTGCGCCCCTTTTTCCAGCGCCTCCTGCATTGATATTTTCTCTTCGCTGAATGGCTGGTACGCATCTACATAA
ATTTTGTCGATCACCGGTGACATAATAAAAAAAGGTCAAAAACAGTGCCAGCCCCAGCAATACCTGGTTAGGTG
GCGCGGAGGGTGTTCCCAGCGCGTTACGCAATAAACCAAAAACAATGATGATGCGGGTGAAACTGGTCATCAT
CAGTAAAATTGCCGGAATAAACGTCAACGAGGTGATGAACACCAGCGTCTGCACCGGGAGCGACCAGCTTTGT
CCACCGCCAGGCAGCGGCTGGCTGGTGATACCCGGCAGTTGCGCGAAGGCGAGGGGCGTAATCAGCCAGAGA
AGGACAGGTGCGACAGACAATAAACGACGCAT

## 125F2-4(3.5X)

rfaQ gene (complement) - enzyme; macromolecule metabolism: LPS core biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 002695 Protein Accession # NP 312534

GNGNAAAAACGTNCCGG

#### 126G2-2 (7X)

flhA (complement) - flagella biosynthesis; possible export of flagella proteins

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000281</u> Protein Accession # AAC74949

CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCCCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG
CCTGGTGCCTGGAATGCCGAACCTGGTATTTTTTGCTGTTCACTGCCGGATTGCTCGGGCTGGCCTGGTG
GATACGCGGACGCGAACAAAAAGCGCCTGCCGAACCCAAACCGGTAAAAAATGGCAGAAAAATACC
GTTGTCGAAGCGACGTGGAACGATGTACAACTGGAAGATTCTCTCTGGGAATGGAAGTGGTTAT

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 18 of 35

# GGACTGATCCCGATGGTCGATTTCCAGCAGGATGGTGAGTTGTTGGGCCGTATACGCAGTATCCGCAA

## 126A3-2 (7X)

flhA gene (complement) - flagella biosynthesis, possible export of flagella proteins

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000281</u> Protein Accession # AAC74949

ACGTNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CCTGGTGCCTGGAATGCCCGAACCTGGTATTTTTGCTGTTCACTGCCGGATTGCTCGGGCTGGCCTGGT
GGATACGCGGACGCGAACAAAAAGCGCCTGCCGAACCCAAACCGGTAAAAATGGCAGAGAATAATAC
CGTTGTCGAAGCGACGTGGAACGATGTACAACTGGAAGATTCTCTGGGAATGGAAGTGGGTTATCGAC
TGATCCCGATGGTCGATTTCCAGCAGGATGGTGAGTTGTTGGGCCGTATACGCAGTATCCGCAAGAAA
TTTGCCCAGGAGATGGGATATCN

## 132B8-2 (7X)

fliM gene - surface structures/flagellar biosysnthesis, component of motor switch/energizing

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000286</u> Protein Accession # AAC75012

## 136E3-1 (7.5X)

arcB gene (complement) - enzyme, Global regulatory functions, aerobic respiration sensor- response protein; protein kinase/phosphatase, sensor for arcA

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000400</u> Protein Accession # AAC76242

## 139G5-3 (5X)

rfaP gene - enzyme; macromolecule metabolism: LPS; phosphorylation of core heptose, attaches phosphate containing substrate to LPS core

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000440</u> Protein Accession # AAC76654

GNGAAAAAAACGNACCGGATCCGG
GATCATATGACAAGATGTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGTTAAATCCATTAACTCGCGCATCATTTATTATTACCGAAGATCTCACTCCCACAATTAGCCTTGAAGATTATT
GTGCCGATTGGGCAGTCAACCCGCCTGATATCCNGNNCNNNNGTACTAGTCGACGCGTGGCCATANANTNAGC
TCNTNCTACNNCCNNANTCCTATCCACCCGTGGCTNCAGNNANCATTCNGNNNACACCANTTACNNNCCAGNC

Inventor: Romeo, et al Docket No.: 14233.0004USUI Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

Title: NOVEL GENES INVOLVED AND USES THEREOF Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 19 of 35

CNCNTCCCCCNGNNCTCNNCTACTCANNACTTCANNANANNATGNCNTTCNNNNGCNNNTCGNTCNCCCACNACNNCNTTTNTTNCNNCCTCTNNCNANCTCNNCCNTNNCNCTNTNATTCCNCTTTTACCCTNAN

#### 152B4-6 (9X)

flgI - flagella biosynthesis, putative surface structure; product is homologue to P-ring of flagella basal body in Salmonella

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000208</u> Protein Accession # AAC74164

#### GNNGAACGNCGGATCCGG

#### 163E7-5 (4X)

fliD gene – flagella surface structure; capping protein (same clone as 1B10)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74991

#### TNGNAAAAACGTNCCGGATCCGG

## 163F3-5 (8X)

fliD gene - flagella surface structure; Capping protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74991

#### NNANNAACAATACGTCC

CAGNANANNTGACNAGANGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCNG
GGNCCGGTCTGGATTTAAGTTTCCATCCTTGATAGCCTCACCGCCGCGCAAAAAGCGACGCTAACCNC
CATTTCANATCAGCAATCGTCGTTTACCGCTAAACTTAGCGCCTACGGTACGCTGAAAAGCGCGCTGA
CGACTTTCCAGACCNCCAATACTGCATTGTCTAAAGCCGATCTTTTTTCCGCCACCANCACCACCTGCA
GCACCACNGCGTTCANTGCCNCCNCTGCGGGNNACNCCATCGCCNGGAAATACCCCATTACCGNTCAN
CCATCTGGCANATGCNGCNAACCCTTGAACACGC

#### <u>167C2-3</u> (8.5X)

flgB gene - Structural component, flagella biosynthesis; cell - proximal portion of basal body rod

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000208 Protein Accession # AAC74157 Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 20 of 35

AAAACGTCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CGCTCAATCTGCGCGCCCCAGCGTCAGGAAGTGCTGGCAGCAAACATCGCCAATGCCGATACCCCTGGT
TATCAGGCGCGCGATATCGATTTTGCCAGTGAACTTAAAAAAAGTCATGCAACGTGGACGGGATGCAAC
CAGTGTGGTTGCACTGACGATGACCTCAACGCAACACATTCCGGCGCAGGCGCTGACGCCTCCTACCG
CAGAACTGCAATACCGTATTCCGGACCAGCCTTCGCTTGA

## **Sequences of Down Mutants**

## 1G3-6 (16X)

ycdQ gene (complement) - putative enzyme homologous to IcaA in Staphylococcus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 000913 Protein Accession # NP 415541

ATAAAACGGNTACCGGATCCGG

GATCATATGACAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATGAG
GGCGCTGTTTCCACAGCCCTTTTAACGTTTCAGGCATTAATATCCAGCACAGTGNCCCTNGNNNNCNCNNNNNC
NTCCACTGATTCAACTGCAGCTTCCAGCTAATATCAATATCTTCGGTGATCATATNAGTCCACNCGGNNCTAGT
CGACGCGTGGCCANNANTNNNNCNTTNTTTNTNNCTN

## 11E4-3 ('12X)

Immediately Upstream of promoter (factor sigma 70, predicted 1+ start site 1986220) and gene b1904 (orf, function unknown)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA (Not Available) Protein Accession # NA

TTTAAAAACCGGTTACCGGATCCGG

#### 12F12-6 (23X)

ycdS gene (complement) - putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000204</u> Protein Accession # AAC74109

TTGAAAACCGCTCCGGATCCNG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGGATTCATCAG
CGTTAAATTGGCATCGTCATCGCGGCAGCAAGTTGATTATTACGTAATGCCTGCACGTAATTCTGTGGGATATC
CNNCCCNNNCGTACTAGTCGACGCGTGGCCATNTNACNTNCNGCAATNCNTTCTGACACTTCNNNTTNCTNTNN
AT

## 14B7-4 (4X)

leuO gene -putative regulator; probable transcriptional activator for leuABCD operon; amino acid biosynthesis: Leucine

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187 Inventor: Romeo, et al Docket No.: 14233.0004USUI Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION AND USES THEREOF

Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 21 of 35

GCNNGCGGTAAACGNCCGGATCCGG

GATCATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
AGTTAAGTGTGACAGTGGGAGTTAAGTATGCCAGAGGTACAAACAGATCATCCAGAGACGGCGGAGT
TAAGCAAACCACANCTTNCGNATGGNCGATTTCAACTTATTAACNCGTTTCGATGCCNTGNTGNAGGA
GCCNANCATTNTTCNCAGCCCGCTCATCGCCCTGGGAACCTTCNCCCCCCTNCNTTCCTNTGCTNGCC
TTGGGGCCCCCNNCACNCAACGNAGACNGGGCCNATCCC

#### 16C8-2 (24X)

Promoter (factor sigma 70, predicted 1+ start site 1986220); upstream of b1904 (orf, unknown function)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

**AACCGTACCGGATCCGG** 

GATCATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGGATTCATCAG
TGCNACGNCNCTNTNANNNCCATNGATNTNGCACTGTAACGCGCTAAATAACGCTTGTNTCTTACTCT
TCTGGCTGGACCATGAGACTTCTGATTCTGACTCTTTCATTAATATCCCCCCNCNCCGTACTAGTCGAC
GCGTGNCNATATTATGNNNCCNNNNNCTANTNNNC

## 24E12-4 (8.5X)

fucA gene (complement) - enzyme, degradation of molecules: carbon compounds: product is L-fuculose-1-phosphate aldolase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000363</u> Protein Accession # AAC75842

#### CNNCCGGATCCGG

## 26G11-3 (8X)

ycdS gene - (complement), putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000363</u> Protein Accession # AAC74109

#### **AACGNCCGATTCCG**

## 27F9-2 (2X)

Between promoter (factor sigma 70 predicted 1+ start site 4272977) and yjcC gene (orf; unknown function)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

**AACGNNCCGGATCCGG** 

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF

Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237

Sheet 22 of 35

#### 31A4-4 (7X)

ycdS gene (complement) - putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74109

#### CNCGCCGGACATCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GTGACAGTTAGCGCGCCCGGATAATTTTCACTCTCCAGGTGGCTGTAAAAGAGATCCGCAAGTTCTTC
ATCGGATAAATCCGGGGCAATGGTCTCCTTGTGATAAAAGAGCTCGGTCATTATTGACTGTGCTTTTTT
CGGCTGATGATCTTTGAGATAAGCCGATGCAACCCAATATTGCCCCCAGGGCGGAATAATTTGCCCCG
TCTTTTTTAATCGCTGATAGTGAGAAATAACGTCTTTATAACGATCGCGAGTTAATAACGCCCCAAGAT
GATCAACCTGAATACGCTGGTACTGGGCAGTGCGGTCTGGGTTATCGTGCCACAGAATTTCTAATG

#### 31G6-3 (2.5X)

Immediately Upstream of promoter (factor sigma 70, predicted 1+ start site 1986220) and gene b1904 (orf, function unknown)

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

#### AAACGACCGGACCG

### 32A4-2 (14X)

Between ptrB & yebE (complement) - ptrB gene - protease II; yebE gene -unknown function

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

#### NGANNATACGNCCGATCCGG

GATCATATGACAAGATGTGTATCCCCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG
GTTGAAACATCTTATAAGGGGTGGCAAAACTCACCGGGGATGCAAGCGAAACAGGGGAGTCATTGCT
TAGATGACAGGTAATGGCGCGGATATCGAATGTTATGCAANCAGANAANANCAGNCTGTTCAAA
TGGCTGTGCGATTCTGGATAGCCCGAAATAGTCAACTTCAGGCTATCCAGAGAGCGGAATTATTCCGC
CAAAGTGCGTTTTTGCTGTTCGAGATCGCGTTCAATGCCGTCACGAACATCCTGGGGGATTTTCAGCGC
GTCACCCAGTGCATTCAGGTAACTGCGTTCCATAAAATGGTCAATATCAATAGCCGCGNNACTAATNN
ACNCGNGGCCNAGCGCCTCTTC

## 35C6-2 (6.5X)

hscA gene (complement)- factor, chaperone; product is heat shock protein chaperone, member Hsp70 protein family

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000339</u> Protein Accession # AAC75579 Inventor: Romeo, et al Docket No.: 14233.0004USUI Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237

Sheet 23 of 35

CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TGCCGACGGTCTTTTGAGCGTGACGGCGATGGAGAAATCCACCGGCGTTGAGGCGTCTATTCAGGTCA
AACCGTCTTACGGTCTGACCGATAGCGAAATCGCTTCGATGATCAAAGACTCAATGAGCTATGCCGAG
CAGGACGTAAAAGCCCGAATGCTGGCAGAACAAAAAGTAGAAGCGGCGCGTGTGCTGGAAAGTCTGC
ACGGCGCGCTGGCTGATGCCGCGCTGTTAAGCGCCGCAGAACGTCAGGTCATTGACGATGCTGCC
GCTCACCTGAGTGAAGTGGCGCANGGCGATGATGTTGACGCCATCGAACAAGCGATTAAAAACGTAG
ACAAACAAACCCAGGATATCNCCCNNNNCNGTACTAGTCGACGCGTGG

## 37B5-2 (11X)

yedK gene - hypothetical protein, function unknown

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000285</u> Protein Accession # AAC74998

NGAAAAACGTCCGGATCCGG

#### 41G10-2 (10X)

leuO gene - putative reg of AA biosynthesis (leucine) - Same clone as 14B7-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

AAAAACCGTTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTTAAGTGTGACAGTGGAGTTAAGTATGCCAGAGGTACAAACAGATCATCCAGAGACGGCGGAGTT
AAGCAAACCACAGCTACGCATGGTCGATCTCAACTTATTAACCGTTTTTCGATGCCGTGATGCAGGAGC
AAAACATTACTCGTGCCGCTCATGTTCTGGGAATATCCCCCCCNNCNGTACTAGTCGACGCNGN

## 41B10-5 (9X)

leuO gene - same as as 14B7-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000118 Protein Accession # AAC73187

AAAAACCGTTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGTTAAGTGTGACAGTGGAGTTAAGTATGCCAGAGGTACAAACAGATCATCCAGAGACGGCGGAGTT
AAGCAAACCACAGCTACGCATGGTCGATCTCAACTTATTAACCGTTTTTCGATGCCGTGATGCAGGAGC
AAAACATTACTCGTGCCGCTCATGTTCTGGGAATATCCCCCCC

#### 44C2-1 ('10X)

ycdS gene (complement) - same clone as 31A4-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession #<u>AE000204</u> Protein Accession # AAC74109

CNCGCCGGACATCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGGATTCATCAG

Inventor: Romeo, et al
Docket No.: 14233.0004USUI
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF

Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 24 of 35

GTGACAGTTAGCGCGCCCGGATAATTTTCACTCTCCAGGTGGCTGTAAAAGAGATCCGCAAGTTCTTC ATCGGATAAATCCGGGGCAATGGTCTCCTTGTGATAAAAGAGCTCGGTCATTATTGACTGTGCTTTTTT CGGCTGATGATCTTTGAGATAAGCCGATGCAACCCAATATTGCCCCCAGGGCGGAATAATTTGCCCCGTCTTTTTTAATCGCTGATAGTGAGAAATAACGTCTTTATAACGATCGCGAGTTAATAACGCCCCAAGATGATCAACCTGAATACGCTGGTACTGGGCAGTGCGGTCT

#### 46E5-5 (10X)

ycdQ gene (complement) - putative enzyme homologous to IcaA in Staphylococcus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000204</u> Protein Accession # AAC74109

#### AAAAACCGTTACCGGATCCGG

## 48A4-5 (20X)

trs5\_11 (complement) - IS, phage, Tn; transposon related functions, IS5 transposase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000427</u> Protein Accession # AAC76530

#### GAGATACGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TGCTCCACCCTGGCCCGGATGCTGGCTTTCATGTATTCGATGTTGATGGCCGTTTTGTTCTTGCGTGGAT
GCTGTTTCAAGGTTCTTACCTTGCCGGGGCGCTCGGCGATCAGCCAGTCCACATCCACCTCGGCCAGCT
CCTCGCGCTGTGGCGCCCCCTTGGTAGCCGGCATCGGCTGAGACAAATTGCTCCTCTCCATGCAGCAGA
TTACCCAGCTGATTGAGGTCATGCTCGTTGGCCGCGGTGGTGACCAGGCTGTGGGTCAGGCCACTCTT
GGCATCGACACCAATGTGGGCCTTCATGCCAAAGTG

## 49C2-1 (9X)

ycdS gene - (complement), putative outer membrane protein, not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000204</u> Protein Accession # AAC74109

#### CGNCCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GATGAATTACGGGCGATGACAGAGTCATTACCTGAAAATGCATCTACGCAACAATATCCCACNNANTN
GTACTAGNCGACGCGTGGCCATCAACTTGCTGCCGCGATTGACGATGCCAATTTAACGCCAGATATTC
GCGCTGATATTNCTANNCGACGNGCNGGNNGACGCGTGGCCAANGCNNNNCNTNNNCTNNNAANNNT
GNNCNGNNCNCTGGCTGNTGTCCNNNCTGNNANCGCCNCANAACNTCNTGNCNTNNNNNANGCTGNC
GTCCCTTANNGAAGNGGCCNNGGNNAATNATGTNNACNCCNTNNCCAANCGNTTNNNNACTNNACNA
NCNACCCNNGATNTC

## 49G12-3 (20X)

ycdS gene (complement) - putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000204 Protein Accession # AAC74109 Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237

Sheet 25 of 35

CACGGATCCGG

GATATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
CGTTAAATTGGCATCGTCAATCGCGGCAGCAAGTTGATTATTACGTAATGCCTGCACGTATTCTGTGGG
ATATCCNNCCCNCCCGTACTAGTCGACGCGTGGCCATGNNATNNNCCGNNATTCATNCTGATGACNCC
CCGNCAGTTTATANATATNNNNNNNNNNNNTNCT

#### 51A10-4 (2X)

modC gene - ATP-binding component of molybdate transport; Transport of small molecules: Anions

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000179</u> Protein Accession # AAC73852

AACGCACCGGATCCGG

GATCATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
ACTGACGCGCCCGCAAAAAGGGCGGATTGTCCTCAATGGGCGGGTACTAAATGATGCCGAAAAAGGTATCTGC
CTTNCCGTACTAGTCGACGCGTGGCCACNNNTTCATTCNCCNCTANCTCNNAAGTNNNCCNACTCCGNGNNCN
ACCNNCCNNNCCCCNTNGCAGNCNTGTNCNCNNACNNCGGCNACCCNNNGANNNCGNCTCCNCCCGCCCCTNT
CNNCACCTNNNNANGGCNTACCNGCCCCTCNNGCTCNGTTACCTTNNTNNNTNNCCGNCCCCNCTCANANNCN
CCNTNACNNGNCNNNCNATNCNTCGCNNNNNNAGTANNCCCNCNTCCCCCCACNCNCNNNCCGTNTTNNCNCT
TNAGANCT

56C11-1 (5.5X)

modC gene - Same clone as 51A1-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000179</u> Protein Accession # AAC73852

AACGNACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGGATTCATCAG
ACTGACGCGCCCGCAAAAAGGGCGGATTGTCCTCAATGGGCGGGTACTAAATGATGCCGAAAANGGTNTCTTG
CCTGNCCCGTACTANTCGACGCGTGGCCAACNAACCTNCTTCNTANNNTCGCNNTTCCCCCTTCNGCNCNTCNN
CCACTCCCNGCTGCTCCTNCNNCCTTCCNCGCNCCNTACCNTCGTNNCCTTANTCCACCTGCNNCTATCCCNCG
GCCCGNCCTCCCGNCCCCCCNCTNCAANTNGTTCANGNACNGNCCNCCCTCGCCCNAGCGCTNCCNGNGCCAG
NNNCTNTTCATNTCCCTCCCNGATCCANTCNCNNCCNTTNCNCTCTNACNNNCCNGTCNCTNNCCCCCTNNTTA
N

## <u>62C9-2</u> (20X)

yecK gene (complement) - putative enzyme (cytochrome C type); not classified ,product homologous to TorC cytochrome of TorCAD resp. system

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000281</u> Protein Accession # AAC74943

CNCGACCGG

GATATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGGATTCATCAG
GGTTTCGCTGTCCTTTTGTGCTTATGCATTTTCTGCGCAGATTCACTTTGCGAGGCAATATCCATG
GCATCAAAANAATGGCAACTACGGCACGTTGCAGAGTCAGTGGCTTTTAATTCTTTCCATACTGTTTCG
GCCATTTCCTGGCGATGAGCTTCGAACTTATCGTCACTGTCTATTTTGCCGCTAACAAATTCATGATAA
ATATCTTTAGATGC

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller

Attorney Name: Douglas P. N Phone No.: (612) 371-5237 Sheet 26 of 35

## 63E2-3 (2X)

between genes clpP and clpX - clpP: enzyme; degradation of proteins; ATP-dependent proteolytic subunit of clpA-clpP serine protease, heat shock protein F21.5. clpX: enzyme; degradation of proteins, ATP-dependent component of serine protease, chaperone.

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

AAACNNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAN

GGTTTTGACCCATGACAGATAAACGCAAAGATGGCTCATGCANATTGCTGTATTGCTCTTTTTTGCGGCAAAAGC CNNCATGAAGTGCGCCAGCTGANNAGCCGGNCCATCCCTNTATATCNNCCNNCCCTGTACCTNGNCGGNCNCG TGGNCNNNCTCCTNTCNTTNNCNTCTCCCCNNTCTNNNNCCCCTCTNNCGCGGNCCCNCTGANNCGCCTCNCTT CTTNTACCTCCNCGNGCCTCTACCNCTCGNNCCTCNCCCCCCACCTCCTTATTCCNCCTCCNTCNTNTCCNTCTC CACCTNTCCTTTCCNACCGCNNCATNNNACGTCTCNTTCCCTNNNNCCACNNNTNATCCTTCNGCNCCCCTCNG NGCGAANCNTCNCTNNNCTANCGGCNCGNTGNNCNTGCNNCNCANTNANCNCNCNCTNATTGAGTGCGNGT

66E10-1 (12X)

ycdS gene (complement) - putative outer membrane protein, same as above

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000204 Protein Accession # AAC74109

CNCGATCCGG

GATATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GTGACGACATCCGTGCCATAATGTTTTTGCCAGGAGGCACCAACACCTGCGCTGAATATTTGCTCCCAGCTATT
TTCATAGCTTCGCCATAACAAATGGCTTGCCTCAAATGCCGGAACAATATCNNNCNNNNNNGTACTAGTCGAC
GCGTGCCA

68E11-2 (2.5X)

glnE gene (complement) - enzymes, translation and modification; Adenylylating enzyme for glutamine synthetase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000387</u> Protein Accession # AAC76089

AAACCCACCGGATCCGG

68A3-1 (>24X)

wcal gene (complement) - putative enzyme, colanic acid biosynthesis

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 000913 Protein Accession # NP 416554

 Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Anne: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 27 of 35

GGCCGNNANGGTGTGCCGCTGCCCGCTGTATGTGCCAAAACAGCCGAGCACCCTGAAACGCCTGTTGC ATCTGGGCAGTTTTGCCGTCAGCAGTTTCTTTCCGCTGATGGCGCAACGTCGCTGGAAGCCGGATCGCA TTATTGGCGTGGTGCCAACGCTGTTTTGCGCGCCGGGAATGCGCCTGCTGCGAAACTCTCTGGTGCGC GTACCGTGCTGCATATTCAGGATTACGAAGTGGACGCCATGCTGGGGCTTGCCGGAAAAGGC AAAGGCGGCAAAGTGGCACAGCTGGCAACGG

#### 73E6-6 (16X)

ycdS gene (complement) - putative outer membrane protein, not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000204 Protein Accession # AAC74109

#### CGNCCGGATCCGG

## 73E9-1 (12X)

ycdS gene (complement) - putative outer membrane protein, not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession #<u>AE000204</u> Protein Accession # AAC74109

#### ACGNCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
CACCGTACTTACGCCGCTCATTTTGATACCANCGAACATAAGCCTGAGCACTGTTGCCTGTAACACCCATTTTTCA
TTGCCCGTAATGGAACGCGGTGAGAGAGGCGTTCCAGTTGCGAACCAATACGCCAGTTATCATTAAAATCATAT
CNGCCNGNCCNGTACTAGTCGACGCGTGGCCANAAATTGAAAACTGGTTTGCCANAATTNTCTNGATCNCCTA
AAAAGCTATNACTGGACNCGNTATNATGGNTNTGNNTTATCTGGNANGGGGNNNCANAAAAATNCGNTGCCA
ATGGNTNATNCAATTGNCCATNAAATTAAAAACATCCCTTANGNTNAAAGACAAATNNATTTTNTAATTCANG
GGCNA

## 73F2-1 (12X)

ycdS gene (complement) - putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000204 Protein Accession # AAC74109

#### NNGNAAACCAGCCGGACNTCCCGGATCCGG

GATCATATGACNAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTANGGGATTCATCAG
NCAGATGCGTTCCTGACCCTCAAGNGAGACTTCATGACGCTGGTTACTGTCGGAAAAATCAGTGAAAG
CCCAGGANACACCGTACTTACGCCGCTCATTTTGATACCAGCGAACATAAGCCTGAGCACTGTTGCCT
GTAACACCATTTTTCATTGCCCGTAATGGAACGCGGTGAGAGAGGCGTTCCAGTTGCGAACCAATACG
CCAGNTATCATTAAAATCATATCNNCCNGAAGAGGACTAGTCNACGCGTGGCCANNACANCCNCACT
NNTNAACNTGNGGCTACNANTNTACCNGCCCANNAGNNTTACNTNANTTNCGCNCNCCTNCCANTCNC
NCCCNNANGTNNNCNNAANCTNNANNCTN

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 28 of 35

## 75E11-5 (1.5X)

moaC gene - enzyme, biosynthesis of cofactors, carriers: molybdopterin; molybdoproterin biosynthesis, protein C

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000181</u> Protein Accession # AAC73870

NNAANATACGGTTCCGGNTCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG
ATGGAAGCATTAACCGCGGCCTCCGTGGCGGCGCTGACCATTTATGACATGTGCAAAGCGGTGCAAAA
AGATATCNCNNNCCNNNGTACTAGTCGACGCGTGGCCAAANATCNGGGNTCTCNNNNTGCTNGCTNC
NAATCNANTGNACCCNCTNAACCCNTTCNAGCTAAACATNTNNATNTGNAACNNATAAACNCAGGAC
GNCACTATNGNGTNNACNT

## 84A10-6 (11X)

ycdR gene - orf, unknown function, product homologous to IcaB in S. aureus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74108

CGNNGANACGNCCGAATCCG

GATANTANACAGATGTGTATCCCCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGCTTTAGCGGGAGTCTGAGCGAAATTCGACAAAACCCGGAGCAATTTAAACAGTGGGCCCGCTTTAA
AAGTCGTGCGTTAACTGACTTCACTTTAGAACTTAGTGCGCGCGTAAAAGCCATTCGCGGTCCACATAT
TAAAACTGCACGAAATATTTTTTGCACTTCCGGTAATACAACCTGAAAGTGAAGCCTGGTTTGCACAGA
ATTATGCTGATTTCCTAAAAAAGCTATGACTGGACCGCTATTATGGCTATGCCTTATCTGGAAGGTGTCG
CAGAAAAATCGGCTGACCAATGGTTAATACAATTGA

#### 86E7-6 (10X)

ycdQ gene (complement) - orf, unknown, putative enzyme homologeous to IcaA in Staph

Transposon Tn10 Accession # AY528506 Nucleotide Accession #<u>AE000204</u> Protein Accession # AAC74109

NACGGATCCGG

GATATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TATCTGGTGTGCATTGATGGCGATGCGTTATTAGACCGCGATGCGGCGCATATATTGTGGAACCGAT
GTTGTACAACCCGCGTGTGGGTGCCGTAACCGGTAATCCTCGTATTCGAACACCGTTCTACCCTGGTGGG
TAAAATTCAGGTTGGCGAGTATTCCTCAATTATTGGTTTGATCAAGCGAACCCAGCGTATCTATGGAA
ACGTATTTACCGTTT

#### 86F11-6 (11X)

ycdQ gene (complement) - same clone as 86E7-6

Transposon Tn10 Accession # AY528506 Nucleotide Accession #AE000204 Protein Accession # AAC74109

NCGATCCGG

GATCATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGGATTCATCAG
TATCTGGTGTGCATTGATGGCGATGCGTTATTAGACCGCGATGCGGCGCATATATTGTGGAACCGAT
GTTGTACAACCCGCGTGTGGGTGCCGTAACCGGTAATCCTCGTATTCGAACACCGTTCTACCCTGGTGGG
TAAAATTCAGGTTGGCGAGTATTCCTCAATTATTGGTTTGATCAAGCGAACCCAGCGTATCTATGGAA
ACGTATTTACCGTTTCC

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237 Sheet 29 of 35

#### 87C5-1 (1.5X)

aroD gene - amino acid biosynthesis: Chorismate, enzyme; product is 3-dehydroguinate dehydratase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000264</u> Protein Accession # AAC74763

AAACNTACCGGATCCGG

#### 89E11-5 (8X)

leuO gene - same clone as 14B7-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

**AACGGNCCGGATCCGG** 

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGNTAAGCGTGACAGTGNTANTNNNCTACNGCCANAGGTACAAACAANTTCATNCATNNGCCGCNGAAGATTT
CCTTNTNNNAGCNNNCAGCCNNGNNTNTTNNNCANTNTCCTAACCCNTNNCNCNTGGTNGTNANNNCANGTTC
ATNNNCATTNANTGNNTNTNTCGANTNCGCNTCNC

## 90A11-6 (3X)

rnpB gene (complement) - Enzyme; Degradation of RNA/RNase P, RNA component; M1 RNA; processes tRNA,4.5S RNA

Transposon Tn10 Accession # AY528506 Nucleotide Accession # P06277 Protein Accession # P06277

GNAAAGCCCGCCGGACATCCCGGATCCGG

#### <u>90E7-1</u> (2X)

aroD gene - amino acid biosynthesis, Chorismate; 3-dehydroquinate dehydratase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000264 Protein Accession # AAC74763

ACGACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TGCTCGCCGCCTTCTTTGGCACTGCGGAAGGTAAACAGCAGCNGTTTTTCTGGCATGGACTCACGGAGAATTTT
TGCTGCCGCCATGACAGACTCCACATTGGAGNGGTANGCATNCTGGNCCACACNCCATTCCANANTATCNNCTT
TNNCTGCNACTANTNANNNCTCGNANTNTTNCNTCNCNNNNCNCNCANTTCCTCNNCCTTNNACNNNCGNGNN
NNTTGTTGAANNNTTNNNACANCNCANNTTCNCCCCNCNTCTNNTANATNNGNCCCNNGCCTNNNAGTNNTAN
TNCNNTTTNNTC

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 30 of 35

### 91F9-6 (2X)

b2531 gene - orf, function unknown; hypothetical protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC\_000913 Protein Accession # NP 417026

CGTACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAN
GGGCCCGGTACCGTTGGCTGATATTTCCGAACGTCAGGGAATTTCCCTTTCTTATCTGGAACAACTGTTTTCCCG
TCTGCGTAAAAATGGTCTGGTTTCCAGCGTACGTGGACCAGGCGGTGGTTATCTGTTAGGCAAAGATGCCAGCA
GCATCGCCGTTGGCGAAGTAATTAGCGCCGTTGACGAATCTGTAGATGCCACCCGTTGTCAGGGTAAAGGCGG
CTGCCAGGGCGGCGATAAATGCCTGACCCACGCGCTGTGGCGTGATTTGAGCGACCGTCTCACCGGTTTTCTCA
ACAACATTACTT

## 93E3-6 (12X)

ycdR gene (complement)- orf, function unknown; product homologous to IcaB in S. aureus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74108

CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
GGCTTTAGCGGGAGTCTGAGCGAAAATCGACAAAACCCGGAGCAATTTAAACAGTGGGCCCGCTTTAA
AAGTCGTGCGTTAACTGACTTCACTTTAGAACTTAGTGCGCGCGTAAAAGCCATTCGCGGTCCACATAT
TAAAACTGCACGAAATATTTTTGCACTTCCGGTAATACAACCTGAAAGTGAAGCCTGGTTTGCACAGA
ATTATGCTGATTTCCTAAAAAGCTATGACTGGACCGCTATTATGGCTATGCCTTATCTGGAAGGTGTCG
CAGAAAAATCGGCTGACCAATGGTTAATACAATTGACCAATCAAATTAAAAACATCCCTCAGGCTAAA
GACAAATCTATTTTAGAATTACAGGC

#### 96B10-1 (11X)

nhaR - regulator, transport of sm molecules - cations; encodes a positive regulator for nhaA( a Na/H antiporter) stimulates transcription of osm-c

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000112 Protein Accession # AAC73131

#### NCAACGTNCCGGATCCGG

## 102G9-5 (5X)

leuO gene - Same clone as 14B7-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

AAACNCACCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 31 of 35

AGTTAAGTGTGACAAGTGGAGTTAAGTATGCCANAGGTACAAACAGATCATNCAGAGACGGNGGAGT TAAGCAAACCACAGCTACAGCATGGTCGATCTCAACTTATTAACCGTTTTCGATGCCGTGATGCAGGA NCAAAACATTACTCGTGCCGCTCATGTTCTGGGAATATCNCNNNNGCNNGNACTAGTTCGACGCGTGG CCNCATANNATGTNTCNNNTTCNNNNCTCTTCNNTTGCTTCCCTTNCCCCTCTTCCNGCCCCCCANNNC GTCTNNTNTNNATCNNGNNCTTNNCNTACGACTN

#### 106B2-6 (5X)

leuO gene - same clone as 14B7-4

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

#### **AAACCCNTNGGATCCNG**

CATCATATGACAAGANGTTGTATCCACCTTAACTTAATGATTNTTACCAAANTCATTAGGGGATTCATCAN
AGTTAAGTGTGACAGTGGAGTTAAGTATGCCAGAGGTACAAACAGATCATCCAGAGACGGTGGAGTTAAGCAA
ACCACAGCTACNGCATGGTCGATCTCAACTTNTTAACCGTTNTCGATGCCGTGATGCAGGAGCAAAACATTACT
NCGTGCCGNTCATGTTCTGGGAATATCCCNNGGNNACGTNCTAGTCNANGCGTGGCCAANNGNTNNGGNNNCT
NANTCACAGNANCTTTANNNGTN

#### 109B4-4 (2X)

Between two protein binding sites (complement) - 1)central position to predicted promoter: -0.5/LexA predicted site and 2)documented lrP site/ central position to leuABCD promoter:- 156.5

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

#### AGCNCGCCGGACNTCCCGGATCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAG
TCGGTAGTTAAGCAGAAATTAATATCGCTTACTTTAACCACCGCAGCACAATTAGCTAATTTTACGGAT
GCAGAACTCACGCTGGCGGGACGTTTTTATTGCGTCAGGGTTGACATCCGTTTTTTGTATCCAGTAACTC
TAAAAGCATATCGCCCCCNCCNGTACTAGTCGACGCGTGGCCANAACNCGNNNNTCCANTNTNNCC

## 110G8-2 (9X)

ycdS gene (complement) - putative outer membrane protein

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74109

## GNAANGNAAAACNCGCCGGACATCCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
NACNGCNNATTGNNCCCACGGNGGANTAANTNGCCCCNGNTTGNNNTCTCGCTGNTAANGANAAATA
ACGTCTTTATAACGANCGCGAGTNAATAACGCGCCAAGATGATCAACCTGAATACNCTGGTACTGGGC
AGTGCGGTCTGGGTTATCGTGCCACAGAATTTCTAATGCAGCGTATTGGGCGAGGGCGCGATCGGCAA
TGGCATAACGNTCACTTTCACTGCGCGTAGGCATAAACGACAGTCTGACCAGTTCGGCATGAATATCA
GNNNTTGNTGNACTAGNCNACGCGTGGNCAAAACAT

#### <u>115C12-5</u> (16X)

ycdR gene (complement) - orf unknown function; product homologous to IcaB in S. aureus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74108 Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237

CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGCTTAATACCGGCATCCACGCATAGATGTTTACACCTGAGCGGGTACGTAATTGCCAGGCAACCCGA
CTAAAAATATCTGCTTTCATTGGNCTNANACAANCGNGGANCCAGACCTCTTTGACCAGCCCATCACC
ATCGGGATCAGCAAATGCCTGCAAATACACGGTTGATATTTGCATATCTTTCCCCCNCGTACTAGTCGA
CGCGTGGCCACATTACTTNTANTNTANNANTGGATCCNANTNANNCGGNTNTANCTNGCCTTGNANGG
GNGNNANNATTATCNNCTGCCNNCGACNAANT

#### 123F5-6 (4X)

modA gene - transport, small molecules: anions; molybdate-binding periplasmic protein; permease

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000179 Protein Accession # AAC73850

Sheet 32 of 35

TTTNNGAAACACGCCGNACATCCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
TGGATTATGCGGTTGATAAAAAAAGCGATCGATACAGCTACGCGTCAGACACTGCTCGGCAATAGCCTG
GTCGTTGTAGCACCGAAAGCCAGCGTGCAGAAAGATTTCACCATCGACAGCAAAACCAACTGGACTTC
ACTGCTGAATGGCGGTCGCCTGGCGGTTGGCGATCCGGAACATGTTCCCGCTGGCATTTATGCAAAAG
AAGCACTGCNAAAACTGGGCGCATGGGATACNCTCNCTCCGAAAATGGNCCCNCNTAAGNTGNTCCT
AGGGGNNCNNNCGCNGGTCACCACNTAATCGAACCN

### 125A7-1 (2.5X)

rbsK gene - enzyme, degradation of small molecules: carbon compounds; ribokinase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000452 Protein Accession # AAC76775

GCAAAAACGANNCGGCCAAG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAAATCATTAGGGGATTCATCAG
GAAAGGGCAGCNTTANCGCCGGCATGAATACCGATGACATTCTCACCTTCGCCATTAACAAAAATCAN
CGCCACACCTGTTGATTCGCCTTTGATCTCGCTGACCGGAGTAANATCCCCNTNNNNGNACTAGTCNA
CGCGTGGCCATNAANTTCNNNCGACCNTANGACCCNANTCCTGNNNTTAANNCNCGNNTNCCNTANTT
GCNCCANNNN

## 125E4-1 (24X)

insB\_4/insA\_3/insA\_2 genes (complement) - all three have the same probability score and identities,89% - IS,phage,Tn; transposon-related function

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NA Protein Accession # NA

CACANCCGNACATCNGCGNT

126C5-4 (7.5X)

leuO gene - same clone as 14B7-4

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 33 of 35

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

NNACGCTNCGGNNCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAN
AGTTAAGTGTGACAGTGGAGTTAAGTATGCCAGAGGTACAAACAGATCATCCAGAGACGGCGGAGTT
AAGCAAACCACAGTCTACGCATGGTCGATCTCAACTATTAACCGTTTTCGATGCCGTGATGCAGGAGC
AAAACATTACTCGTGCCGCTCATGTTCTGGGAATATCNCCCCNCTNNGTACTAGTCGACGCGTGGCCA
NN

## 130E8-4 (24X)

Between yecK and cutC genes (complement) - in a protein binding area with no predicted promoter; TyrR predicted site

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000118</u> Protein Accession # AAC73187

ATNCNCGACCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTTACCAAAATCATTAGGGGATTCATCAN
NGTCCAGTAATTCAATTANAGGAATCTATGCGNGGGANAAACGGNTGGCNGCTNCNCGCTAANGCNA
ANAANTAANCCNCCTNNNNCTANGTATNNNNGGNCNNTNNNANNNCNGNTTTCT

#### 130G11(2.5X)

aroD gene - enzyme: amino acid biosynthesis: chorismate; 3-dehydroquinate dehydratase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000264</u> Protein Accession # AAC74763

ANNCNNCGACCNG

GNTCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
TCNGGCCGANCNGGCNATTTCCACCGAGGCTTATNTCCNCNNNTNTCGNNCTAGNCGNNGCNTGGCCA
NGNTTNCGNCCNNCNTNACNCCCCATNANTNTNNCCNCTNTCNCNNANTACNGTGCCCGNGNATNC
CCNTCCTCCGTCGGCCCCCNCNNGCTTAGCNGCNNANTGGCCNNNNNNCAANTTANGACGATCNGCC
NGCCCNNTNAACNGNGTTNGCCATNTNCNTNCNCTNTTATN

## 140B5-1 (9X)

miaA gene – enzyme, Aminoacyl tRNA synthetases, tRNA modification; delta(2)-isopentenylpyrophosphate tRNA-adenosine transferase

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000489 Protein Accession # AAC77128

## CGNCCGGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
AGGCAAGTCCGTATGCAAATCTCCTCGGGCAAAAAGCGCCCGGACTTCTGCTTCAAAACCTGAAGCCA
ACATCTGATGAAAACGCTGCTCAATGCGTTGATGGAGCAGTTCACGGCTCGCCGGGGCGATGGCGAAC
TGATGCACCTGATACGGTAGAGCGTCTCCTGACGTTTGCGTCAGTTCCGTTAAAGTTTTACCCGAAATG
AAAAAAACTTCCAGTGCCCGGGAAAGCCTTTGTGGATCATTTGGATGAATCCTTGCTGCCGCAACCGG
ATCTACCTCCTGAAGTTGACGATGCAATGACTCCCAACCTTGCTCTGCCGCCTGTTGCTCAATTCTGGC
CCGTACTTCCGGGTCTGCCGACGGTAGCGGCGACAACCCTTCCAGCAATGCCTTGAAAT

#### 141G2-2 (16X)

yjjQ gene - putative regulator, not classified

Inventor: Romeo, et al
Docket No.: 14233.0004USU1
Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION
AND USES THEREOF
Attorney Name: Douglas P. Mueller
Phone No.: (612) 371-5237
Sheet 34 of 35

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000507</u> Protein Accession # AAC77321

#### **GNCGGATCCGG**

#### 141G4-6 (18X)

ycdS gene (complement) - putative outer membrane protein; not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74109

#### NNNAAAGCACGCCGGACATCCGATCCGG

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTAGGGGATTCATCAG
ACCCAATATTGCCCCCAGGGCGGAATAATTTGCCCCGTCTTTTTTAATCGCTGATAGTGAGAAATAACG
TCTTTATAACGATCGCGAGTTATAACGCGCCAAGATGATCAACCTGAATACGCTGGTACTGGGCAGTG
CGGTCTGGGTTATCGTGCCACAGAATTTCTAATGCAGCGTATTGGGCGAGGGCGCGATCGGCAATGGC
ATAACGTTCACTTTCACTGCGCGTAGGCATAAACGACAGTCTGACCAGTTCGGCATGAATATCANCGC
GAATAGTACTAGTCGAC

#### 145F10 (3X)

ykgK gene (complement) - putative regulator; not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession # <u>AE000136</u> Protein Accession # AAC73397

## NNNNGAAGCNCGCCGGACATCCCGGATCCGG

## 150E3-6 (20X)

ycdP gene (complement) - orf, hypothetical protein unknown function

Transposon Tn10 Accession # AY528506 Nucleotide Accession # NC 000913 Protein Accession # NP 415540

## NACGACCGGATCCGG

Title: NOVEL GENES INVOLVED IN THE ESCHERICHIA COLI BIOFILM FORMATION

AND USES THEREOF

Attorney Name: Douglas P. Mueller Phone No.: (612) 371-5237

Sheet 35 of 35

## 150G7-2 (4X)

prfC gene- Factor; protein translation and modification; peptide chain release factor RF-3.

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000508 Protein Accession # AAC77328

#### **ANACNCGTCCGG**

GATCATATGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAATCATTANGGGATTCATCAG
TGTGGTGTCCGGTAAATATGAAAAAGGCATNAAACTGCNCCACGAGCCCACTGCNAANGATGNGGNA
ATCTCCGCCCCGCNGCCTCTCTGGCNGGTNNCCGTTCTCACCTTNNACACCNCCCCNNGCTCNCNTNCN
CTCCCNNACNNCNNTTCTCTCNGCANCCCACTTNATCTNCCNNCNCCTCCCNACGNNTCCCNCCCC
NCNGNNCNANTGNNTTGGCTNNCGNCCNNNANNCNCNCTCNTCCTGGCCTCNCTCNTTACNCNN

## 155F4-4 (20X)

ycdR gene (complement) - orf, unknown, product homologous to IcaB in S. aureus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74108

#### **NNCGATCCGG**

GATCATTGACAAGATGTGTATCCACCTTAACTTAATGATTTTTACCAAAAATCATTAGGGGATTCATCAG
CACTTGTTGCCACGTGGCAAAATATTCTCGATCGACCAACTCATCGCCAAATTTTACTTGTTTATCCGC
TGGCATATCNNCCCNNNNCGTACTAGTCGACGCGTGGCCANN
.

## 160A8-6 (20X)

yjjQ gene – putative regulator; not classified

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000507 Protein Accession # AAC77321

#### CGNCCGGATCCGG

## 169G4-6 (18X)

ycdR gene (complement) - orf, unknown, product homologous to IcaB in S. aureus

Transposon Tn10 Accession # AY528506 Nucleotide Accession # AE000204 Protein Accession # AAC74108